

RF controlled premium cabinet lift

The Premium has all the possible perks. It can lift heavier and bigger screens than the Eco series. Unique and patented TV weighting system stops and raises the lift slightly even if a slight obstacle is encountered - therefore protecting both the unit and the users around it. Additional power cord allows connecting TV directly to the lift - no need for extra cables. Power Guard function protects the TV from lowering it when turned on - cutting the power of the screen so that it's always hidden securely. Electric motor overload protection. 5 Year warranty with over 80 thousand cycles on full load ensured. Active RJ-45 Port allows using all the SABAJ accessories with this unit. RF Operated with remote attached - RF signal can easily go through wooden furniture, eliminating the necessity of wiring antennas or receivers outside the furniture. Easy cable management with plastic chain cable carrier - to keep everything tidy and secure. Soft start and soft stop function keep the mechanism working for even longer. Universal TV mount covers VESA standards from 200x200 to 600x600 and everything in between. Extra support bar eliminates the need of a sturdy backplate on the furniture. The top and low viewing positions can be easily programmed via the control box.



RF remote control included



Easy stroke adjustment



Active RJ-45 socket + Power Guard




Safety systems



Cable guide



5 year warranty




Compatible accessories on pages 56 - 57



Specification

	K-1 Premium RF	K-2 Premium RF	K-3 Premium RF	K-5 Premium RF
lifting capacity	30 kg / 65 lb	50 kg / 110 lb	50 kg / 110 lb	50 kg / 110 lb
lifting height	720 mm / 28"	840 mm / 33"	970 mm / 38"	1025 mm / 43"
max screen height	690 mm / 27"	800 mm / 32"	860 mm / 34"	940 mm / 37"
max. VESA	400x600	600x600	600x600	600x600
lifting speed	20 mm/s			
power consumption	80W			
power supply	115V/230V			



Dimensions [mm]				
	K-1 Premium RF	K-2 Premium RF	K-3 Premium RF	K-5 Premium RF
A	708	822	887	965
B	1428	1662	1857	1990
C	508	708	708	708
D	131	131	131	131
E	530	600	670	740
F	100-460	100-660	100-660	100-660
G	1160-1280	1320-1440	1320-1448	1550-1670
*G + extra mounting bracket	-	-	1555	1785